



# KidGro (22/25)

Milk Replacer for Dairy Replacement Doe Kids & Meat Kids  
[www.GroberNutrition.com](http://www.GroberNutrition.com)

## Product Overview

Grober KidGro milk replacer is designed for replacement feeding of multiple birth doe kids, as well as for feeding meat and dairy kids. The optimal concentration matches the nutritional profile of doe's milk.

| Features                   | Benefits   |
|----------------------------|--|
| 100% milk protein source   | Protein and amino acid balance for optimal growth and metabolic controls |
| Skim milk powder           | Provides highly digestible nutrients for growth and health               |
| Stable vitamins & minerals | Maintain longer shelf life and assist growth and health                  |
| Machine feeding            | Can be used in automatic kid feeding machines                            |

## Kid Management Tips

- ✓ Place kid goats in a clean and dry area immediately after birth
- ✓ Feed LambGro/KidGro™ Colostrum as soon as possible after birth in 3 feedings within 18 hours of life
  - ✓ Feed by bottle or use a feeding tube if necessary
- ✓ Ensure the kid pen is free of draft and is clean and warm
- ✓ Start feeding milk replacer daily up until weaning
- ✓ Free-choice water should be available at all times
- ✓ Multiple feedings/day recommended to reduce incidence of bloat

## Shelf Life and Storage

Store in a cool, dry place up to 1 year from date of manufacture. Store opened bags in a sealable container.

## Mixing Directions

1. Weigh 150g of powder per litre of solution using a scale.
2. Mix with 0.5 litre hot water (60°C) for 3 minutes.
3. Add 0.45 litre cool water and mix for 1 minute (total 1 litre).
4. Feed the milk solution at a temperature of 38-40°C (body temperature) (thermometer provides best results).
5. Clean all feeding utensils and equipment after each use.

## Feeding Schedule

| Age of Kid  | Amount Per Feeding (ml) | Number of Feedings/Day |
|---|-------------------------|------------------------|
| Day 1-2 (colostrum)   | 250                     | 4                      |
| The newborn kid should receive 150mL/kg bodyweight of colostrum (approx. 600mL), within six hours of birth. (*LambGro/KidGro™ Colostrum Replacer) |                         |                        |
| Day 3-5   | 300                     | 3                      |
| Day 6-14  | 500                     | 3                      |
| Week 3-6  | 800                     | 2                      |
| Week 7  | 800                     | 1                      |
| Week 8  | 500                     | 1                      |



Package Size

20KG 10KG 5KG